





GARDEN HOUSE


Assembly Guide

LIST OF DETAILS

Wall elements




Roof elements



Roof hat




Corner cover elements



Fluted brim planks



Triangle details




Inner corner strips  x8 F

Roof's inner strips  x8 G


Bench beams




Bench planks




Extra benches




Window strips




Floor grid elements




4




Attach the wall elements to each other using 10 screws per corner. The wall element with the openable window should be opposite to the wall element for the door.




6






Make sure the planks inner edge is even with the walls inner side and that the corners fit nicely.




8








Always start from the center.




Use leftovers for the edges.





12




Be sure to provide support for each roof element while assembling. Use 8 screws to attach wall elements to one another and another 4 from under the brim planks.






Attach peak plates to the connecting brims of the roof elements. Use felt nails. The lowest plate should be placed 7cm over the lower brim, flipped under the eaves and secured with nails.




Attach the roof hat to the roof elements from below with 3 screws.












Attach the window strips inside the house. Strips are attached to the frame with ca 1.5cm overlay.




Attach the bench beams by first attaching the longer detail to the wall elements from the ends. Make sure they are parallel to the wall. Then attach the two shorter details to the previously attached detail and to the wall with 10 screws total. Beams should be placed 39cm above the floor.









First attach the leg to the extra bench plank, then attach the extra bench to the other bench.



Place floor grid elements.




x1 T1






x1 T2

x1 T3




x3 T4







V1




V2




V3



V4



V5




V6



V7



V8



V9



W

